

CAUTION

- Care must be taken during customer installation of equipment and wiring to ensure that all holes drilled in the body are corrosion protected, properly sealed and that vehicle wiring harnesses, piping or other components have not been displaced or damaged. After market equipment installers must be mindful of applicable Federal Motor Vehicle Safety Standards. This information can be obtained directly from the National Highway Traffic Safety Administration.
- These vehicles are equipped with an Air Bag System. The sensors for this system must not be relocated to accommodate the installation of customer furnished equipment; please refer to the service manual for sensor locations. For information concerning instrument panel top pad mounted equipment, see the Air Bag Information section in this catalog.
- This catalog is not updated during the model year and should not be used for ordering purposes. It is intended as a source of basic information. All illustrations and specifications in this literature are based on the latest product information available at the time of publication. General Motors reserves the right to make changes at any time without notice. For further details, consult your local dealer.
- A note about vehicle alterations by independent suppliers: This catalog shows pictures of vehicles that have been altered or upfitted with equipment, bodies or components supplied to Chevrolet or its dealers by independent suppliers. Chevrolet is not responsible for the safety or quality of design features, materials or workmanship of any alterations by any such supplier.



Tahoe 4WD 5W4 Special Service Package

CHEVROLET TAHOE 4-WHEEL DRIVE SPECIAL SERVICE 1ST COMMERCIAL DECOR WITH 5W4 OPTION

Special Service Package option 5W4 must be ordered when used for law enforcement and requires FE9 Federal Emissions

**NOTE: THIS VEHICLE IS NOT DESIGNED NOR INTENDED FOR USE IN HIGH SPEED
EMERGENCY VEHICLE OPERATIONS.**

STANDARD EQUIPMENT SUMMARY:

WARRANTY	3 years / 36,000 miles
-----------------	------------------------

MODEL AVAILABILITY

CK15706	4-Wheel Drive
----------------	---------------

INTERIOR FEATURES

AIR CONDITIONING	Front and Rear Tri-Zone, Manual, Individual, Climate Settings For Driver Right Front Passenger and Rear Passengers
ASSIST HANDLES	Front Passenger and Second Row Outboard
CONSOLE OVERHEAD	Includes Map Lights and Rear Air Conditioning and Heating Controls
CRUISE CONTROL	Electronic with Set and Resume Speed
FLOOR COVERING	Carpeting with Carpeted Mats
GLASS	Solar-Ray Deep Tinted (All Windows Except Light Tinted Glass on Windshield, Driver and Front Passenger Door Windows)
KEY	Single, Two Sided Random Code, for Ignition and Drivers Door Only.
LIGHTING	Dome Lamp, Driver and Passenger Side Door Switch with Delayed Entry Feature, Cargo Lamps, Map Lights, at Front and 2nd Seat Position
POWER OUTLETS	Two Located on Instrument Panel and One in Rear Cargo Area
RADIO	AM/FM Stereo w/Seek-Scan and Digital Clock (Requires AE7 Bench Seat or 9N5 Console Delete)
RESTRAINT SYSTEM	Seat Belts with Driver and Front Passenger Frontal Air Bags (Side Impact Optional)
SEATS - FRONT	Custom Cloth 40/20/40 Reclining Split Bench (Power Driver Seat Only)
SEATS - REAR	Custom Cloth 60/40 Split Folding Bench
SECURITY	PassLock II Requires Correct Ignition Key to Start Engine.
SPEEDOMETER/CLUSTER	120 Analog Speedometer, Digital Trip Odometer, with Oil Pressure, Volt Meter, Tachometer and Engine Temperature Gauges, Hour Meter (To Display the Hour Meter, Turn the Ignition Off, Press and Hold Reset Button for at Least Four Seconds), for Message Center (See Message Center Diagram on page 44).
STEERING COLUMN/WHEEL	Tilt-Wheel, Adjustable, Includes Brake/Transmission Shift Interlock and Theft - Deterrent Locking Feature
VISORS	Padded Driver and Passenger with Cloth Trim, Extenders, Illuminated Vanity Mirrors and Corner Storage Pockets on Back of Visors
WARNING TONE	Key-In-Ignition, Seat Belt, Headlamp and Turn Signal
WINDOW OPERATION	Power

For more info, contact Frank Hartley at Wilson County Motors. ☐
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

TAHOE



CHEVROLET TAHOE 4-WHEEL DRIVE SPECIAL SERVICE 1ST COMMERCIAL DECOR WITH 5W4 OPTION

Special Service Package option 5W4 must be ordered when used for law enforcement and requires FE9 Federal Emissions

STANDARD EQUIPMENT SUMMARY:

EXTERIOR FEATURES

AIR DAM	Gray
BUMPER - FRONT	Chrome
BUMPER - REAR	Chrome with Step Pad
DEFOGGER	Rear Window
DOOR HANDLES	Matte Black
DOOR LOCKS	Power, Programmable with Lockout Protection, Door Lock Cylinder No Longer Available on Passenger Front Door and Rear Liftgate.
GRILLE	Chrome
HEADLAMPS	Dual Halogen Composite, Includes Flash-to-Pass Feature and Automatic Lamp Control
KEYLESS ENTRY	Includes Two Transmitters with Panic Button (For Additional Transmitters See Options AMF on Page 31)
LIGHTS	Daytime Running (Off When Transmission is in Park)
LUGGAGE RACK	Roof-mounted, Adjustable Black (Side Rails on Only)
MIRRORS	Power Matte Black Fold-A-Way
MOLDINGS	Body Side
REAR LIFTGATE	Includes Rear-Window Wiper/Washer (No Lock Cylinder on Liftgate)
RECOVERY HOOKS	Two Front
WINDSHIELD WIPERS	Intermittent Windshield with Pulse Washers
WIRE HARNESS	7-Wire Trailering

CHASSIS FEATURES

ALTERNATOR	145 Amp
BATTERY	Heavy-Duty 600 CCA with Battery Rundown Protection (Does Not Protect Customer Installed Equipment)
BRAKES	4-Wheel Anti-Lock Front and Rear Disc with Hydro Boost Power Assist
ENGINE	Vortec 4800 V8
FRAME	Modular with Hydroformed Frame Rails
FUEL TANK CAPACITY	26 Gallon
OIL COOLERS	Transmission (Radiator End Tank), Power Steering Air to Oil
SPARK PLUGS	Extended Life - Platinum Tip
STEERING	Power, Speed-Sensitive
SUSPENSION - FRT	Independent Torsion Bar, with Stabilizer Bar
SUSPENSION - RR	Multi-Link with Coil Springs with Stabilizer Bar
TIRE MONITOR	Tire Pressure (Includes Sensor to Spare Tire) Spare Tire Sensor Not Programmed
TIRES	LT245/75R16 All-Season SBR WOL
SPARE TIRE	Full-Size - Mounted Under Rear Frame with Lock
TRANSMISSION	4-Speed Automatic w/Overdrive and Tow/Haul Mode
TRAILER HITCH	Standard
TRANSFER CASE	Autotrac®, Active 4WD model only
WHEELS	16" x 6.5" Argent Steel Disc
WHEEL CENTER CAP	Argent, Retained to Wheel Lugnuts

For more info, contact Frank Hartley at Wilson County Motors. ☐
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

CHEVROLET TAHOE 4-WHEEL DRIVE SPECIAL SERVICE 1ST COMMERCIAL DECOR WITH 5W4 OPTION

Special Service Package option 5W4 must be ordered when used for law enforcement and requires FE9 Federal Emissions

TAHOE

POWERTRAIN

	MODEL	ENGINE (RPO)	TRANSMISSION	AXLE			GVWR	
			M30 4-SPEED AUTO	GU6 3.42	GT4 3.73	GT5 4.10	C7K 6500 lbs.	C5U 6800 lbs.
4WD	CK15706	LR4 Vortec 4800 V8 SFI	S		S	A		S
	CK15706	L59 Vortec 5300 V8 SFI*	S		S	A		S

NOTE: Must Specify FE9 Federal Emissions

*Engine, Vortec 5300 V8 MFI, Flexible Fuel (Gas or E85 Ethanol)

TIRES

STANDARD	MANUFACTURER	QUANTITY	SIZE	SPEED RATING	TYPE
QNL	Varies	5	LT245/75R16 WOL	S	On-Off Road

SEATS AND INTERIOR TRIM

	SEAT OPTIONS	MED. GRAY
STANDARD: Custom Cloth Front 40/20/40 Reclining Split-Bench Custom Cloth Rear 60/40 Split-Bench	AE7	92D
OPTIONAL: Vinyl 40/20/40 Reclining Split-Bench Vinyl Rear 60/40 Split-Bench	AE7	92V
OPTIONAL: Custom Cloth Front 40/20/40 Reclining Split-Bench Vinyl Rear 60/40 Split-Bench	AE7 5T5	92D
OPTIONAL: Custom Cloth Front Bucket Custom Cloth Rear 60/40 Split-Bench	*A95	92D
OPTIONAL: Custom Cloth Front Bucket Vinyl Rear 60/40 Split-Bench	*A95 5T5	92D

*NOTE: Option 9N5 Must Be Ordered if Console Delete is Desired.

For more info, contact Frank Hartley at Wilson County Motors. ☐
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

CHEVROLET TAHOE 4-WHEEL DRIVE SPECIAL SERVICE 1ST COMMERCIAL DECOR WITH 5W4 OPTION

Special Service Package option 5W4 must be ordered when used for law enforcement and requires FE9 Federal Emissions

OPTIONAL EQUIPMENT SUMMARY:

AVAILABLE OPTIONS

5T5	Allows Vinyl 2nd Row with Cloth Front Seat
K47	Air Cleaner, High Capacity
BVE	Assist Steps
7Y9	Battery, Single 770 CCA
9R4	Body Side Molding Delete
A95	Bucket 92D Cloth Seats-Power Driver (for Vinyl 2nd Row 5T5 Required)
PDC	Cargo Shade, Cargo Net, Roof Rack Bars, etc.
6E2	Common Key, Same Key Operates Entire Fleet Different from 6E8
6E8	Common Key, Same Key Operates Entire Fleet Different from 6E2
9G8	Daytime Running Lights and Automatic Headlights Delete (Requires 5W4)
8Y9	Dual 770 CCA Batteries (Requires 5W4)
K05	Engine Block Heater
KNP	External Transmission Oil Cooler (Air-to-Oil)
BC9	Floor Covering: Vinyl
T96	Fog Lamps, Front Rectangular Halogen
9N5	Front Floor Console Delete (Requires A95 & Base Radio)
7B7	Grille, Austere
C36	Heater - Rear
5W4	Identifier, Special Services Package
AMF	Keyless Entry, Remote Fleet-Package Includes 6 Additional Remotes (Not Programmed - See page 37, Police Package Owners Supplement or Owners Manual)
8X1	Label, Fasten Seat Belts
G80	Locking Differential
JF4	Power Adjustable Pedals (N/A with 9L4)
DPF	Power Extendable Trailering Mirrors
5G4	Provision for Roof-Mounted Lamp - Instrument Panel Mounted Switch and Wiring to the Roof. Upfitter to Install and Connect a Roof Mounted Warning Lamp. Instructions Provided in Owner's Manual Supplement.
9RO	Radio - AM/FM Stereo Cassette w/Seek-Scan and Digital Clock
UB1	Radio - ETR AM/FM Stereo with CD and Cassette Player, Includes Seek-and-Scan, Digital Clock, Auto-Tone Control, Random Select, Auto-Reverse Cassette and Radio Data System (RDS)
AJ7	Side-Impact Airbags
NZZ	Skid Plates Package
9W3/9W4	Special Paint, Wheatland Yellow/Tangier Orange
9V5/9V9	Special Paint, Woodland Green/Doeskin Tan
QBN	Tires, LT245/75R16/C ON/OFF Road (Requires 9G3)
Z82	Trailer Package: Includes Trailer Hitch Platform, 7-Lead Wiring Connector and Trailer Brake Pre-Wire Harness, Transmission Oil Cooler (N/A with 4.8L Engine and 3.42 Rear Axle)
PF4	Wheels, Uplevel Aluminum
9L4	Wiring Provision, 12 Volt Power Supply (N/A with JF4) - Two Fused Battery and Two Fused Ignition Controlled Circuits
9G3	Z71 Off Road Suspension (Requires QBN Tire and includes NZZ Skid Plates, K47 High Capacity Air Cleaner, No Z71 Decal)

For more info, contact Frank Hartley at Wilson County Motors. ☐
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

TAHOE



CHEVROLET TAHOE 4-WHEEL DRIVE SPECIAL SERVICE 1ST COMMERCIAL DECOR WITH 5W4 OPTION

Special Service Package option 5W4 must be ordered when used for law enforcement and requires FE9 Federal Emissions

OPTIONAL EQUIPMENT SUMMARY:

SPECIAL EQUIPMENT OPTIONS

NOTE: When special equipment options are ordered option code VPV must be on the order.
Dealer should contact bid center for current price; charge will appear on dealer invoice.

MID-MODEL YEAR INTRODUCTION, SEE DEALER FOR AVAILABILITY PRIOR TO PLACING ORDER

6B2	Rear Door Handles Inoperative
6N6	Rear Door Locks Inoperative
6N5	Rear Window Switches Inoperative, Rear Window Only Operates from Drivers Position
VPV	Ship-Through, Kerr Industries
7X6	Spotlamp - Left Hand, Separately Fused
7X7	Spotlamp - Left and Right Hand, Separately Fused
UT7	Two Ground Studs - Located in Rear Compartment Near Bottom of Hatch Opening
UN9	Radio Suppression - Five Additional Locations

For Description of Special Equipment Options See Page 36 and 37

- NOTE:** TAHOE TURN-KEY PACKAGES *Available only through your Chevrolet dealer*
- Direct Purchase Equipment is available through dealer direct order and purchase from Kerr Industries (905) 725-6561
 - Warranty claims for Direct Purchase Equipment must be directed through Kerr Industries



CHEVROLET TAHOE 4-WHEEL DRIVE SPECIAL SERVICE 1ST COMMERCIAL DECOR WITH 5W4 OPTION

Special Service Package option 5W4 must be ordered when used for law enforcement and requires FE9 Federal Emissions

TAHOE SPEEDOMETER/CLUSTER



MESSAGE CENTER

FUEL LEVEL LOW	SERVICE BRAKE SYSTEM
LOW COOLANT LEVEL	SERVICE AIRBAG
CHECK WASHER FLUID	REAR ACCESS OPEN
ENGINE OVERHEATED	TURN SIGNAL ON
REDUCED ENGINE POWER	DRIVER DOOR AJAR
CHECK ENGINE OIL LEVEL	PASSENGER DOOR AJAR
CHANGE ENGINE OIL	RIGHT REAR DOOR AJAR
TRANSMISSION HOT	LEFT REAR DOOR AJAR
ENGINE COOLANT HOT	KEYFOB X BATTERY LOW
OIL PRESSURE LOW	SEATBELT REMINDER
BATTERY NOT CHARGING	TRANS HOT IDLE ENGINE
REPLACE LIFTGATE FUSE	TRANS IN WARM-UP
SERVICE CHARGING SYSTEM	CHECK TIRE PRESSURE
CHARGING SYSTEM FAILURE	TIGHTEN FUEL CAP
	SERVICE 4WD

For more info, contact Frank Hartley at Wilson County Motors. ☐
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

CHEVROLET TAHOE 4-WHEEL DRIVE SPECIAL SERVICE PACKAGE SPECIFICATIONS

GENERAL

Model	4 Door
Drive	4-Wheel

EXTERIOR (in/mm)

Wheelbase	116/2946
Overall Length	198.8/5050
Overall Width	78.8/2002
Overall Height	76.3/1938
Tread Front	65.0/1651
Tread Rear	66.0/1676
Turning Diameter curb to curb (ft/m)	38.3/11.7

FRONT COMPARTMENT (in/mm)

Head Room	40.7/1034
Shoulder Room	65.2/1656
Hip Room	61.4/1560
Leg Room (maximum)	41.3/1049

REAR COMPARTMENT (in/mm)

Head Room	39.4/1001
Shoulder Room	65.1/1654
Hip Room	61.3/1557
Leg Room (minimum)	38.6/980

CARGO CAPACITY

Behind 2nd Seat (cu ft)	104.6
-------------------------	-------

EPA FUEL ECONOMY RATINGS CITY/HIGHWAY

4.8L Engine 4WD	14/18
5.3L Engine 4WD	14/18

Projected EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicles condition.

ALTERNATOR

Type	AD244
Amps	145
Amps @ idle	59

Features:

- Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduced RFI

ENGINE

	STD	OPT
Type	VORTEC V8	VORTEC V8
Displacement: Liters	4.8L	5.3L
Horsepower/NHP	275 @ 5200 RPM	285 @ 5200 RPM
Torque/LB.FT.	290 @ 4000 RPM	325 @ 4000 RPM
Induction System		SFI
Compression Ratio		9.5:1
Exhaust		Single
Minimum Recommended Fuel Octane		87
Fuel Tank Capacity (Gallons/Liters)		26/98.4

TRANSMISSION

Automatic Electronic with Overdrive	4-speed
-------------------------------------	---------

AXLE

Ratio 4-Wheel Drive	3.73
---------------------	------

BRAKES

ABS Hydro Boost	Disc/Disc
Front /Swept Area (sq.in.)	213
Rear /Swept Area (sq.in.)	133
Total Front and Rear Swept Area (sq.in.)	346

TIRES

Type	All-Season
Size	P245/75R16

WHEELS

Type	Steel
Size	16" x 6.5"

CHASSIS

Frame	Full Perimeter Steel
Front Suspension	Independent, Single Lower Arm with Torsion Bar
Rear Suspension	Multi-Link with Coil Spring
Steering Type	Power-assisted Recirculating Ball

VEHICLE WEIGHT

GVWR (lbs.) 4-Wheel	6800
Curb (lbs)	2WD - 5070 / 4WD - 5305
Payload (lbs.) 4-Wheel	1495

Note: Payload and curb weight will vary with option content

BATTERY

Type	Maintenance Free
BCI Group Size	78
Volts	12
Amp Hour Rating	69
Cold Cranking Amps @ 0°F (-18°C)	600
Reserve Capacity @ 80°F (27°C)	115

Features:

- Maintenance-Free Design
- Built-In Flame Arrester
- Built-In Hydrometer
- Side-Mounted Terminals
- Reinforced Polypropylene Case

For more info, contact Frank Hartley at Wilson County Motors. ☐
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com



Tahoe 2WD PPV Police Package

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE - 1ST COMMERCIAL DECOR WITH PPV OPTION

Note: Police Package Option PPV must be ordered. The 2-Wheel Drive Tahoe Police Package is Not Intended for Trailer Towing.

This Vehicle Has Been Designed for Police Work up to and Including High Speed Emergency Vehicle Operations.

STANDARD EQUIPMENT SUMMARY:

WARRANTY 3 years / 36,000 miles

MODEL AVAILABILITY

CC15706 2-Wheel Drive

INTERIOR FEATURES

AIR CONDITIONING	Front and Rear (Includes Rear Heater) Tri-Zone, Manual, Individual, Climate Settings For Driver Right Front Passenger and Rear Passengers
ASSIST HANDLES	Front Passenger and Second Row Outboard
CONSOLE, FLOOR	Deleted
CONSOLE, OVERHEAD	Includes Map Lights and Rear Air Conditioning and Heating Controls
CRUISE CONTROL	Electronic with Set and Resume Speed
FLOOR COVERING	Black Rubberized Vinyl Floor and Load Floor
GLASS	Solar-Ray Deep Tinted (All Windows Except Light Tinted Glass on Windshield, Driver and Front Door Windows)
GROUND STUDS	Two Studs Located in Rear Compartment Near Bottom of Hatch Opening
KEY	Single, Two Sided, Random Code, For Ignition and Driver Door Only
LIGHTING	Dome Lamp, Driver and Passenger Side Door Switch with Delayed Entry Feature, Cargo Lamps, Map Lights, at Front and 2nd Seat Position
POWER OUTLETS	Two Located on Instrument Panel and One in Rear Cargo Area
RADIO	AM/FM Stereo with Seek-Scan and Digital Clock
RESTRAINT SYSTEM	Seat Belts with Driver and Front Passenger Frontal Air Bags and Side-Impact Air Bags
SEATS, FRONT	Custom Cloth Reclining High Back Buckets, Includes Adjustable Head Restraints and Inboard Armrest. Includes 6-Way Power Driver Seat
SEATS, REAR	Vinyl Bench with Fold Down Center Armrest
SECURITY	PassLock II - Requires Correct Ignition Key to Start Engine
SPEEDOMETER/CLUSTER	140 MPH Certified Analog Speedometer - 1 MPH increments, Digital Trip Odometer, with Oil Pressure, Volt Meter, Tachometer, Engine Temperature Gauges, and Hour Meter (To Display the Hour Meter, Turn the Ignition Off, Press and Hold Reset Button for at Least Four Seconds), for Message Center (See Message Center Diagram on page 32).
STEERING COLUMN/WHEEL	Tilt-Wheel, Adjustable, Includes Brake/Transmission Shift Interlock and Theft - Deterrent Locking Feature
VISORS	Padded Driver and Passenger with Cloth Trim, Extenders, Illuminated Vanity Mirrors and Corner Storage Pockets on Back of Visors
WARNING TONE	Key-In-Ignition, Seat Belt, Headlamp and Turn Signal
WINDOW OPERATION	Power

For more info, contact Frank Hartley at Wilson County Motors. ☐
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

TAHOE

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE - 1ST COMMERCIAL DECOR WITH PPV OPTION

Note: Police Package Option PPV must be ordered. The 2-Wheel Drive Tahoe Police Package is Not Intended for Trailer Towing.

STANDARD EQUIPMENT SUMMARY:

EXTERIOR FEATURES

AIR DAM	Gray - Air Dam Extension Deleted
BUMPER - FRONT	Chrome
BUMPER - REAR	Chrome with Step Pad
DEFOGGER	Rear Window
DOOR HANDLES	Matte Black
DOOR LOCKS	Power, Programmable with Lockout Protection, Door Lock Cylinder No Longer Available on Passenger Front Door and Rear Liftgate
GRILLE	Black with Argent Center Bar
HEADLAMPS	Dual Halogen Composite, Includes Flash-to-Pass Feature and Automatic Lamp Control
KEYLESS ENTRY	Includes Two Transmitters with Panic Button (For Additional Transmitters See Option AMF on Page 31)
LIGHTS	Daytime Running (Off When Transmission is in Park)
LUGGAGE RACK	Deleted, Roof Holes Plugged
MIRRORS	Power Fold-A-Way Heated Outside Rearview
MOLDINGS	Body Side
REAR LIFTGATE	Includes Rear-Window Wiper/Washer (No Lock Cylinder on Liftgate)
RECOVERY HOOKS	Two Front - Recovery Hook Covers Deleted
WINDSHIELD WIPERS	Anti-Lift Driver and Passenger, Intermittent, Front Wet-Arm with Pulse Washers.

CHASSIS FEATURES

ALTERNATOR	160 Amp with Idle Boost
AIR CLEANER	High-Capacity
BATTERY	Heavy-Duty 770 CCA with Battery Rundown Protection (Does Not Protect Customer Installed Equipment)
BRAKES	4-Wheel Anti-Lock Front and Rear Disc with Hydro Boost Power Assist
COOLING	Heavy Duty High Capacity Radiator and Electric Fans
ENGINE	Vortec 5300 V8 SFI with Top Speed Fuel Cut-Off at 125MPH Includes Air Conditioning Wide Open Throttle Cut Off. (Capable of Running on Unleaded or E85 Ethanol)
FRAME	Modular with Hydroformed Frame Rails
FUEL TANK CAPACITY	26 Gallon
OIL COOLERS	Engine Heavy Duty Auxiliary Oil-to-Coolant, Transmission Heavy Duty Auxiliary Air-to-Oil, Power Steering Auxiliary Air-to-Oil
PROP SHAFT	High Speed Balanced Aluminum, Four Inch Diameter
RADIO SUPPRESSION	Grounded Straps, at Five Additional Locations
SKID PLATE	Front Underbody Shield Starting Behind Front Bumper and Running to 1st Cross-Member Protecting Front Underbody and Oil Pan
SPARK PLUGS	Extended Life - Platinum Tip
STEERING	Power, Speed Sensitive
SUSPENSION - FRT	Independent Torsion Bar, with Heavy Duty Stabilizer Bar
SUSPENSION - RR	Multi-Link with Coil Springs and Heavy Duty Stabilizer Bar
TIRE MONITOR	Tire Pressure (Includes Sensor to Spare Tire) Spare Tire Sensor not Programmed
TIRES	255/70R16 All-Season SBR Blackwall, H-Rated
SPARE TIRE	Full-Size Spare Mounted Under Frame at Rear End (Includes Tire Pressure Monitor, Not Programmed)
TRANSMISSION	Enhanced Calibration 4-Speed Automatic w/Overdrive
WHEELS	16" x 6.5" Heavy Duty Steel
WHEEL CENTER CAP	Steel Bolt-on Chrome
WIRING - 12 VOLT	Wiring Provision - Two Battery and Two Ignition Controlled Circuits, 21 Amps Per Circuit. Harness is Located in Front of the Glove Box, Requires Upfitter Installation - Instructions Provided in Owners Manual Supplement.

For more info, contact Frank Hartley at Wilson County Motors. ☐
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE - 1ST COMMERCIAL DECOR WITH PPV OPTION

Note: Police Package Option PPV must be ordered. The 2-Wheel Drive Tahoe Police Package is Not Intended for Trailer Towing.

TAHOE

POWERTRAIN

	MODEL	ENGINE (RPO)	TRANSMISSION	AXLE	GVWR
			M30	GT4	C7H
2WD	CC15706	L59 Vortec 5300 V8 SFI*	4-Speed Auto	3.73	6400 lbs.
NOTE: Must Specify - FE9 - Federal Emissions, YF5 - California NE1 - Maine, Massachusetts, New York or Vermont State Requirements *Engine, Vortec 5300 V8 MFI, Flexible Fuel (Gas or E85 Ethanol)					

TIRES: SPEED RATED

MANUFACTURER	QUANTITY	SIZE	SPEED RATING	TYPE
General	5	P255/70R16BW	H	All-Season SBR

SEATS AND INTERIOR TRIM

	SEAT OPTIONS	MED. GRAY
STANDARD: Custom Cloth Front Bucket Vinyl Rear 60/40 Split-Bench	A95 5T5	92D

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE - 1ST COMMERCIAL DECOR WITH PPV OPTION

Note: Police Package Option PPV must be ordered. The 2-Wheel Drive Tahoe Police Package is Not Intended for Trailer Towing.

OPTIONAL EQUIPMENT SUMMARY:

AVAILABLE OPTIONS

BVE	Assist Steps
9R4	Body Side Molding Delete
RYJ	Cargo Shade
6E2	Common Key, Same Key Operates Entire Fleet - Different From 6E8
6E8	Common Key, Same Key Operates Entire Fleet - Different From 6E2
9G8	Daytime Running Lights and Automatic Headlights Delete
G80	Differential Locking - Heavy Duty
8Y9	Dual 770 CCA Batteries - Both Batteries Power the Starter
K05	Engine Block Heater
B30	Floor Covering - Color Keyed Carpeting
B58	Floor Mats Color Keyed Carpeted Front and 2nd Row (N/A with Vinyl Floor Covering)
ANJ	Glass - Non-Deep Tinted
V22	Grille - Chrome
AMF	Keyless Entry, Remote Fleet-Package Includes 6 Additional Remotes (Not Programmed - See page 37, Police Package Owners Supplement or Owners Manual)
8X1	Label, Fasten Seat Belts
V54	Luggage Rack - Roof Mounted, Black, Side Rails Only (Center Rails N/A)
5G4	Provision for Roof-Mounted Lamp - Instrument Panel Mounted Switch and Wiring to the Roof. Upfitter to Install and Connect a Roof Mounted Warning Lamp. Instructions Provided in Owner's Manual Supplement.
9RO	Radio - AM/FM Stereo Cassette w/Seek-Scan and Digital Clock
UB1	Radio - ETR AM/FM Stereo with CD and Cassette Player, Includes Seek-and-Scan, Digital Clock, Auto-Tone Control, Random Select, Auto-Reverse Cassette and Radio Data System (RDS)
9V9	Special Paint, Doeskin Tan
9V5	Special Paint, Woodland Green

SPECIAL EQUIPMENT OPTIONS

NOTE: Ship-Through Option VPV is Required on All Police Vehicles and Will Automatically be Placed on the Order. Dealer Should Contact Bid Center for Current Price; Charge will Appear on Dealer Invoice.

6N6	Rear Door Locks Inoperative
6B2	Rear Door Handles Inoperative
7X6	Spotlamp - Left Hand, Separately Fused
7X7	Spotlamps - Left and Right Hand, Separately Fused
6N5	Rear Window Switches Inoperative (Rear Windows Only Operate From Drivers Position.)

NOTE: TAHOE TURN-KEY PACKAGES Available only through your Chevrolet dealer


- Direct Purchase Equipment is available through dealer direct order and purchase from Kerr Industries (905) 725-6561
- Warranty claims for Direct Purchase Equipment must be directed through Kerr Industries

For more info, contact Frank Hartley at Wilson County Motors. □
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE - 1ST COMMERCIAL DECOR WITH PPV OPTION

Note: Police Package Option PPV must be ordered. The 2-Wheel Drive Tahoe Police Package is Not Intended for Trailer Towing.

POLICE TAHOE SPEEDOMETER/CLUSTER



- FUEL LEVEL LOW
- LOW COOLANT LEVEL
- CHECK WASHER FLUID
- ENGINE OVERHEATED
- REDUCED ENGINE POWER
- CHECK ENGINE OIL LEVEL
- CHANGE ENGINE OIL
- TRANSMISSION HOT
- ENGINE COOLANT HOT
- OIL PRESSURE LOW
- BATTERY NOT CHARGING
- REPLACE LIFTGATE FUSE
- SERVICE CHARGING SYSTEM
- CHARGING SYS. FAILURE

- SERVICE BRAKE SYSTEM
- SERVICE AIRBAG
- REAR ACCESS OPEN
- TURN SIGNAL ON
- DRIVER DOOR AJAR
- PASSENGER DOOR AJAR
- RIGHT REAR DOOR AJAR
- LEFT REAR DOOR AJAR
- KEYFOB X BATTERY LOW
- SEATBELT REMINDER
- TRANS HOT IDLE ENGINE
- TRANS IN WARMUP
- CHECK TIRE PRESSURE
- TIGHTEN FUEL CAP

For more info, contact Frank Hartley at Wilson County Motors. ☐
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

CHEVROLET TAHOE 2-WHEEL DRIVE POLICE PACKAGE

SPECIFICATIONS

TAHOE

GENERAL

Model	4 Door
Drive	2-Wheel

EXTERIOR (in/mm)

Wheelbase	116/2946
Overall Length	198.8/5050
Overall Width	78.8/2002
Overall Height	72.0/1830
Tread Front	65.0/1651
Tread Rear	66.0/1676
Turning Diameter curb to curb (ft./m)	38.3/11.7

FRONT COMPARTMENT (in/mm)

Head Room	40.7/1034
Shoulder Room	65.2/1656
Hip Room	61.4/1560
Leg Room (maximum)	41.3/1049

REAR COMPARTMENT (in/mm)

Head Room	39.4/1001
Shoulder Room	65.1/1654
Hip Room	61.3/1557
Leg Room (minimum)	38.6/980

CARGO CAPACITY

Behind 2nd Seat (cu ft)	104.6
-------------------------	-------

EPA FUEL ECONOMY RATINGS CITY/HIGHWAY

5.3L Engine 2WD	15/20
-----------------	-------

Projected EPA label values, actual mileage will vary with options, driving conditions, driving habits and vehicles condition.

ALTERNATOR

Type	E8+
Amps	77F(25C), 14.0 volts
Amps @ idle	77F(25C), 14.0 volts

Features:

- Sealed High Capacity Bearings
- Transient Voltage Spike Protection
- Vehicle Low Voltage Idle Boost Compatible
- Load Response Control
- Reduced RFI

ENGINE

Type	STD
Type	VORTEC V8
Displacement: Liters	5.3L
Horsepower/NHP	285 @ 5200 RPM
Torque/LB.FT.	325 @ 4000 RPM
Induction System	SFI
Compression Ratio	9.5:1
Exhaust	Single
Minimum Recommended Fuel Octane	87
Fuel Tank Capacity (Gallons/Liters)	26/98.4

TRANSMISSION

Automatic Electronic with Overdrive	4-speed
-------------------------------------	---------

AXLE

Ratio 2-Wheel Drive	3.73
---------------------	------

BRAKES

ABS with Hydro-Boost	Disc/Disc
Front /Swept Area (sq.in.)	213
Rear /Swept Area (sq.in.)	133
Total Front and Rear Swept Area (sq.in.)	346

TIRES

Type	H- Rated All-Season
Size	P255/70R16

WHEELS

Type	H-Rated Steel
Size	16" x 6.5"

CHASSIS

Frame	Full Perimeter Steel
Front Suspension	Independent, Single Lower Arm with Torsion Bar
Rear Suspension	Multi-Link with Coil Spring
Steering Type	Power-assisted Recirculating Ball

VEHICLE WEIGHT

GVWR (lbs.)	6400
Curb (lbs)	5007
Payload (lbs.)	1393

Note: Payload and curb weight will vary with option content

BATTERY

Type	Maintenance Free
BCI Group Size	78
Volts	12
Amp Hour Rating	63
Cold Cranking Amps @ 0°F (-18°C)	770
Reserve Capacity @ 80°F (27°C)	115


Features:

- Maintenance-Free Design
- Built-In Flame Arrester
- Built-In Hydrometer
- Side-Mounted Terminals
- Reinforced Polypropylene Case

For more info, contact Frank Hartley at Wilson County Motors. □
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com


DESCRIPTION OF STANDARD SPECIAL EQUIPMENT TAHOE 2-WHEEL DRIVE POLICE PACKAGE

ENGINE OIL COOLER




Engine oil cooler located in the left hand radiator tank. Cooler consists of an inlet and an outlet pipe attached to the engine oil filter adapter which transmits the oil to the cooler and then back to the engine. The cooler itself consists of numerous flat plates through which the hot oil flows, transmitting heat to the coolant and cooling the oil.

POWER STEERING COOLER




Vertical finned cooler is mounted at the left end of the radiator and connected in-line between the power steering pump and steering gear.

TRANSMISSION OIL COOLER



External air-to-oil cooler is mounted in front of coolant radiator and AC condenser at the center and is connected in series with the integral transmission oil cooler in the right end tank of the coolant radiator.


WIRING PROVISION, AUXILIARY BATTERY POWER



Your vehicle is equipped with wiring provision for 12 volt fused battery power. Providing two 30-amp battery powered circuits and two 30-amp ignition controlled circuits. The wiring harness is located in front of the glove compartment with a 40-amp fuse which must be installed in the engine compartment electrical center. The owner's manual supplement provides a wiring diagram to aid in connecting customer equipment.

NOTE: The maximum rated electrical load for each circuit is 21-amps (250 watts)


INOPERATIVE INTERIOR LAMPS SWITCH



Courtesy Lamps, including dome lamps, can be turned off with a push button switch which is part of the headlamp switch module. When the switch is activated, courtesy lamps remain off when any vehicle door is open. If a door is open when the switch is activated, the lamps will go off. The instrument cluster and radio lighting dimmer control will override the push button switch to turn on the courtesy lamps.

DESCRIPTION OF STANDARD SPECIAL EQUIPMENT TAHOE 2-WHEEL DRIVE POLICE PACKAGE


RADIO SUPPRESSION GROUND STRAPS



Police Package is equipped with additional grounding in the following locations:


1. Left hand front frame body mount bracket to underbody
2. Left hand rear frame body mount bracket to rear underbody
3. Right hand rear frame body mount bracket to rear underbody
4. Right hand center frame body mount bracket to center underbody
5. Exhaust pipe hanger rod to rear frame hanger

EQUIPMENT GROUNDING STUDS - REAR COMPARTMENT



Tahoe Police Package has grounding studs located at the lower left and right hand rear compartment hatch opening for connection to customer electrical equipment. A five foot blunt cut length of #8 awg copper wire is coiled inside the jack stowage compartment to permit grounding of electrical equipment which may be mounted forward in the rear compartment and behind the second seat back.


TIRE PRESSURE MONITOR



Your vehicle is equipped with a Tire Pressure Monitor (TPM) system which warns of low tire pressure and indicates which of the four road wheels has low tire pressure. The TPM system on your Tahoe Police Package has a spare tire sensor but is not programmed to read the spare tire pressure. When the spare tire from your vehicle or an unused spare tire from another Police Package is placed in use as a road wheel, the system will NOT read the presence of the new TPM sensor and must be calibrated. Refer to your Owner's Manual for additional information on the tire pressure monitor and sensor programming.


DESCRIPTION OF OPTIONAL SPECIAL EQUIPMENT TAHOE 2-WHEEL DRIVE POLICE PACKAGE

6N6 LOCKS REAR DOOR INOPERATIVE



Rear door locking rods are disabled. Rear door locks are inoperable at rear doors, but operate from driver position.

6B2 HANDLES REAR DOOR INOPERATIVE




Inside rear door handles are disconnected. Rear doors can only be opened from the outside.

6N5 SWITCHES REAR WINDOW INOPERATIVE



Rear door window switches are inoperable. Rear door power regulators are operable only from driver position switches.


5G4 WIRING FOR ROOF LIGHTING



Battery power is supplied through a 30-amp fuse to two bluntcut wires located in the roof approximately 32 inches rearward of the windshield and left of the roof centerline. Power is controlled with a switch located in the instrument panel near the climate controls. Customer can connect a light directly to the wires in the roof or purchase an external wiring and sealing grommet are shipped loose in the glove box. Customer must drill the hole in the roof. An owners manual supplement provides installation instructions.

Note: The maximum rated electrical load is 21 amps (250 watts). Running the accessory lamp for long periods of time with the engine off may run the battery down.


SPOTLAMPS



- 7X6 Spotlamp Left Hand, pillar-mounted Unity, 6 inch with replaceable H3 halogen bulb; independently fused
- 7X7 Spotlamps Left- and Right-Hand, pillar-mounted Unity, 6 inch with replaceable H3 halogen bulb; independently fused

DESCRIPTION OF OPTIONAL SPECIAL EQUIPMENT TAHOE 2-WHEEL DRIVE POLICE PACKAGE

AMF-REMOTE KEYLESS ENTRY FLEET PACKAGE



INCLUDES 6 UNPROGRAMMED ADDITIONAL REMOTES

Transmitter Programming

Note: Do not operate or program the transmitters in the vicinity of other vehicles that are in the keyless entry program mode. This prevents the programming of the transmitters to the incorrect vehicle. This feature is intended for customer activation. Programming of these remotes is not covered under warranty nor is it a part of normal dealer delivery preparation. Additional charges may be incurred if you require the dealer to activate this feature prior to delivery.

Up to 4 transmitters may be programmed to the passenger door module (PDM). Each programmed transmitter is given a position of #1 - #4 in the PDM memory.

All transmitters which are to be recognized by the PDM must be programmed in a single programming sequence. When using this program method, all previously programmed transmitters will be erased upon the receipt of the programming signal from the first transmitter.

The order in which the transmitters are programmed will determine its numbering position within the PDM memory. The first transmitter programmed will be transmitter #1, and the second transmitter programmed will be transmitter #2. The number stamped on the transmitter case is for reference only; #2 can be programmed as #1, or vice versa. Additional unnumbered transmitters are also available.

1. Close all vehicle doors.
2. Insert the ignition key into the ignition lock cylinder.
3. Press and hold the door unlock switch.
4. While holding the door lock switch in the unlock position, cycle the ignition ON, OFF, ON, OFF.
5. Release the door unlock switch. The doors will lock and unlock to confirm the program mode.
6. Press and hold the LOCK button and the UNLOCK button simultaneously on one transmitter. After a delay of approximately 15 seconds, the doors will lock and unlock to confirm the programming of that transmitter.
7. Repeat the previous step to program up to 4 transmitters.
8. Turn the ignition switch to the RUN position in order to exit the keyless entry transmitter programming mode.
9. Operate the transmitter function in order to verify correct system operation.

For more info, contact Frank Hartley at Wilson County Motors. □
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com



ANTI-LOCK BRAKING SYSTEMS

For more info, contact Frank Hartley at Wilson County Motors.
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

ANTI-LOCK BRAKING SYSTEMS

QUESTIONS FREQUENTLY ASKED ABOUT ANTI-LOCK BRAKES...

GM offers Anti-lock Brake Systems as standard or optional on all North American passenger vehicles and light truck lines. The computerized Anti-Lock Braking System (ABS) is designed to keep the vehicle's wheels rotating as the brakes are applied to assist the driver in achieving a controlled stop. Sensors monitor how fast the wheels rotate and feed the data continuously to the ABS computer. The vehicle's brakes slow each wheel as the brake pedal is applied. However, when ABS is activated due to road conditions, the system repeatedly releases and applies pressure to the brakes. The wheels can keep rolling, thus retaining steering ability and enhanced stability while providing a higher braking force on most surfaces than a locked wheel provides.

How exactly does ABS work?

In cars without ABS, hitting the brakes can cause the wheels to lock, leaving you unable to steer the vehicle until you decrease the pressure so the wheels can roll again. With an ABS, as you apply the brakes, the ABS computer monitors the wheel speed sensor information. If the computer senses that a wheel is approaching lock up, it sends a signal to the hydraulic modulator to reduce, then to reapply, brake pressure several times a second for as long as you maintain firm pressure on the brake pedal. The process is much like the threshold braking technique used with conventional brakes. However, ABS does it much faster and more accurately than any driver can, leaving you free to focus on steering away from obstacles.

Does ABS reduce stopping distances?

Yes, in braking situations where the wheels on a non-ABS equipped vehicle would lock up, ABS will generally provide shorter controlled stopping distance. The amount of improvement in stopping distance depends on many factors, including the road surface, severity of braking, initial vehicle speed, etc. On some surfaces, such as gravel roads, braking distances can be longer, but you will still have the control benefits of ABS. The important capability of ABS is control. ABS provides improved vehicle steerability and stability when braking.

What can affect the ABS advantage?

It is important that you follow the maintenance schedule recommended in the owner's manual of the vehicle, tires should be at their proper inflation level, the brake pads should be checked regularly, etc. While driving, you should sit comfortably, so that your hips are back in the seat and your knees are bent, even while braking. Your foot should be positioned so that your heel is on the floor and your toes are secure on the lower half of the pedal. And, though ABS may reduce stopping distance, remember: The faster you go, the longer it takes you to stop. Keeping a safe distance between you and the vehicle in front of you is always necessary, even with ABS.

What happens if ABS becomes inactive?

The ABS electronic control unit has on-board diagnostic capability. If a fault is detected, the vehicle will revert to the base brake system, and the ABS telltale on the dash will be illuminated. Should this happen, the vehicle should be taken to a dealership for repair as soon as possible.

How do I use ABS?

Depress and hold the pedal. **DO NOT PUMP THE BRAKES** (that prevents the system from working). Just hold the brake pedal down and let the ABS work for you. You may feel the brake pedal vibrate, or you may notice some noise, but this is normal as the system works for you.

Should I drive an ABS equipped vehicle differently than I would drive a vehicle with conventional brakes?

Most of the time, under normal driving circumstances, there is no difference, and you should always drive with the same caution and care. It is important to realize that ABS only makes a difference when it is activated—when you have to brake hard—and that would only be when the computer senses that a wheel is approaching lock up. When ABS activates keep steady pressure on the brake pedal and then let the ABS work for you. Don't pump the brakes or try to find the threshold. Simply hold the brake pedal down and steer if necessary to avoid an obstacle.

Is ABS always active?

ABS is always available, but not always activated. ABS is activated only when the brake pedal is applied and the computer detects an impending wheel lock condition.

For more info, contact Frank Hartley at Wilson County Motors.
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com

ANTI-LOCK BRAKING SYSTEMS QUESTIONS FREQUENTLY ASKED ABOUT ANTI-LOCK BRAKES...continued

Can older cars be retrofitted with ABS?

No! The brake system is one of the most important features on any passenger vehicle.

Several products, which tap into the master cylinder and/or brake system performance, are being sold in the aftermarket. Some of these products imply performance similar to new vehicle anti-lock brake systems.

However, contrary to their claims, add-on systems, which deplete fluid from the master cylinder on brake apply may actually increase a vehicle's stopping distance. This may cause the vehicle to fail to comply with federal brake standards.

Does ABS always activate at the same speed?

No, the system operates when the computer detects wheel lockup, at any speed above 8 mph.

Will ABS wear out a vehicle's brakes sooner?

A properly maintained brake system will be unaffected by ABS operation under typical driving conditions.

Are there different types of ABS?

Yes, there are rear wheel anti-lock systems (RWAL) used on some trucks and four-wheel ABS available on cars and trucks.

Do Federal Safety Standards mandate ABS?

No. Federal standards establish minimum braking performance requirements that all vehicles must meet, but do not specify how they should be met. It should be noted that even a vehicle with failed ABS meets the Federal safety standard for stopping distances.

Will a tire size change affect ABS?

Use of tires other than original equipment may affect ABS performance. Owners should consult and follow the recommendations contained in the vehicle owner's manual regarding replacement tire size.

Note: ABS will work with original equipment spare tire or tire chains. However, performance is reduced.

Do insurance companies give a discount for ABS?

Yes, many insurance companies give discounts that range from 5% to 10%. In the states of New York and Florida all insurance companies are required to give an ABS discount of 5% on certain coverages such as bodily injury, property damage, collision, and personal injury protection. In other states the discount varies from insurance company to insurance company. When buying auto insurance, always ask your insurance agent if his/her company gives a discount for vehicles equipped with anti-lock brakes.



IMPORTANT DRIVING SAFETY TIPS



A. Always maintain a safe following distance.

ABS does not allow you to stop on a dime. (Safe following distance Generally a 2-second following distance is considered safe in ideal conditions. Watch the vehicle in front of you pass a fixed marker (such as a sign). Count seconds—one-thousand-one, one-thousand-two-until your front bumper reaches the marker. If you do not count out two seconds, then you are too close to the vehicle in front of you. Also, if the roads are wet or icy, or visibility is poor, you should increase your following distance.

B. Always drive carefully—especially on slippery surfaces. ABS cannot create friction between the tires and the road surface, it can only give the driver the maximum advantage of the existing adhesion. If the vehicle is traveling on a surface with no adhesion, the best ABS in the world cannot provide a shorter stopping distance or good steering.

C. It is a good idea to **practice an ABS activated stop** and get the feel of the brake pedal. However, please make sure it's at a safe time with no obstacles in your path. And you only really need to try it once or twice to know what happens.

For more info, contact Frank Hartley at Wilson County Motors.
Call (615) 444-0002, email fleet11944@aol.com, visit policevehicle.com